



Contribution ID: 343

Type: Oral Presentation

## Effect of SrO on radiation attenuation properties of boro-tellurate glass systems at a high energy region.

*Tuesday 8 July 2025 11:10 (20 minutes)*

In this study the effect of radiation ionization of the  $40\text{SrO}-30\text{B}_2\text{O}_3-10\text{TeO}_2-20\text{Bi}_2\text{O}_3$ ,  $35\text{SrO}-30\text{B}_2\text{O}_3-10\text{TeO}_2-25\text{Bi}_2\text{O}_3$ ,  $30\text{SrO}-30\text{B}_2\text{O}_3-10\text{TeO}_2-30\text{Bi}_2\text{O}_3$ ,  $25\text{SrO}-30\text{B}_2\text{O}_3-10\text{TeO}_2-35\text{Bi}_2\text{O}_3$ ,  $20\text{SrO}-30\text{B}_2\text{O}_3-10\text{TeOS}_2-40\text{Bi}_2\text{O}_3$  glass was investigated using the Phy-X/PSD, XCOM simulation Software and ratified using the geant4 simulation. Between the high energy region between 1 MeV and 15 MeV, the mass attenuation coefficients (MAC), linear attenuation coefficient (LAC), and Effective atomic number of all the glasses under investigation were calculated. The results show that increasing the concentration of  $\text{Bi}_2\text{O}_3$  in these glasses improves its radiation shielding ability. The half value layer (HVL), tenth value layer (TVL) and mean free path (MFP) of the glass were investigated and the results show that glasses with a high concentration of  $\text{Bi}_2\text{O}_3$  attenuated high amount of photons at a smaller thickness. It was also observed  $20\text{SrO}-30\text{B}_2\text{O}_3-10\text{TeOS}_2-40\text{Bi}_2\text{O}_3$  glass has better radiation shielding compared to other radiation shielding materials that have been investigated.

### Apply for student award at which level:

MSc

### Consent on use of personal information: Abstract Submission

Yes, I ACCEPT

**Primary author:** Mr MTHALANE, Sifiso (University of Zululand)

**Presenter:** Mr MTHALANE, Sifiso (University of Zululand)

**Session Classification:** Nuclear, Particle and Radiation Physics-1

**Track Classification:** Track B - Nuclear, Particle and Radiation Physics